PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0851-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE U. S. Patent and Trademark Unice: U.S. DEFORTIMENT OF TRADEMARK UNICE: U.S. DEFORTIME

Sub	stitute for form 1449A	/PTO		Compl te If Known			
Si				Application Number	10/077,784		
<b>3</b> IV	INFORMATION DISCLOSURI			Filing Date	February 20, 2002	7	
7	STATEMENT BY APPLICANT		First Named Inventor Terry L. Gilton				
				Art Unit	2818		
	(use as man	ny sheels as nec	essary)	Examiner Name	Not Yet Assigned	PHAM	
Sheet	1	of	1	Attorney Docket Number	M4065.0482/P482		

			U.S. PA	TENT DOCUMENTS	
C	C.11-	Document Number	Publication Date	Name of Patentee or Applicant	Pages, Columns, Lines, Where Relevant
Examiner Initials*	Cite No. <sup>1</sup>	Number-Kind Code <sup>2</sup> (# known)	MM-DD-YYYY	of Cited Document	Passages or Relevant Figures Appear
TP	Α	5,883,827	3/16/1999	Morgan	

		FOREI	GN PATENT D	OCUMENTS		
	6110	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant	Γ
Examiner   Initials*	Cite No.1		1444 55 10004	Applicant of Cited Document	Passages or Relevant Figures Appear	1
						Γ

<sup>&</sup>lt;sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> See attached Kinds Codes of USPTO Patent Documents at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. <sup>5</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s),

Examiner	2/	Date
	I Irana Phan	11/27/04
Signature	1 Hong Heen	Considered 7/2//07

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>&</sup>lt;sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08A (10-01)
Approved for use through 10/31/2002 OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE and to a collection of information unless it accelerate a collection of information unless it accelerate a collection of information unless it accelerate a collection of information unless it accelerates a collection. Under the Paperwork Reduction Act of 1995, no persons are required to resp

Substitute for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)

of

8

1

Sheet

	Complete if Known	_
Application Number	10/077,784	
Filing Date	February 20, 2002	
First Named Inventor	Terry L. Gilton	
Art Unit	2818	
Examiner Name	Net Yet Assigned	PHAN
Attorney Docket Number	M4065.0482/P482	

	U.S. PATENT DOCUMENTS						
Examiner Initials*	1	Document Number	Publication Date   Name of Patenties or Ap	Name of Patentee or Anniicant	Pages, Columns, Lines, Where Relevant		
	Cite No.	Number-Kind Code <sup>2</sup> (# Imown)		of Cited Document	Passages or Relevant Figures Appear		
TP	AA	5,761,115	06/02/1998	Kozicki et al.			
	AB	6,084,796	07/04/2000	Kozicki et al.			
	AC	5,914,893	06/22/1999	Kozicki et al.			
	AD	5,896,312	04/20/1999	Kozicki et al.			
	AE	6,388,324	05/14/2002	Kozicki et al.			
	AF	US 2002/0000666	01/03/2002	Kozicki et al.			
$\neg$	AG	5,500,532	03/19/1996	Kozicki et al.			
	AH	6,418,049	07/09/2002	Kozicki et al.			
	Al	5,751,012	05/12/1998	Wolstenholme et al.			
1.	AJ	5,789,277	08/04/1998	Zahorik et al.			
4	AK	6,348,365	02/19/2202	Moore et al.			
	AL						
	AM						
	AN						
<del></del>	AO						

		FOREI	GN PATENT	DOCUMENTS		
	011-	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant	Г
Examiner Initials*	Cite No.1	Country Code <sup>2</sup> -Number <sup>4</sup> -Kind Code <sup>6</sup> (if known)	MM-DD-YYYY	Applicant of Cited Document	Passages or Relevant Figures Appear	T°
TP	BA	WO 02/21542	03/14/2002	Kozicki et al.		
i	ВВ	WO 00/48196	08/17/2000	Kozicki et al.		
	ВС	WO 97/48032	12/18/1997	Kozicki et al.		
<b>V</b>	BD	WO 99/28914	06/10/1999	Kozicki et al.		

D-4-	
Examiner DA	,
$T_{con} = T_{con} = T_{c$	<i>0</i> 24
Signature   / r O N S	- <del></del>

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

<sup>&</sup>lt;sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> See attached Kinds Codes of USPTO Patent Documents at <a href="https://www.uspto.gog">www.uspto.gog</a> or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>5</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. <sup>6</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English tanguage Translation is attached.

PTC/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE ond to a collection of information unless it contains a valid OMB control or unless. Under the Paperwork Reduction Act of 1995, no persons are required to res

Sheet

Substitute for form 1449B/PTO

## **INFORMATION DISCLOSURE** STATEMENT BY APPLICANT

(use as many sheets as necessary)

8

(	
	, — - <u>,                                     </u>
2	l of l
_	1 0, 1

	Complete If Kn wn
Application Number	10/077,784
Filing Date	February 20, 2002
First Named Inventor	Terry L. Gilton
Group Art Unit	2818
Examiner Name	Not Yet Assigned PHAN
Attorney Docket Number	M4065.0482/P482

	,	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS				
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Τ²			
TP	CA	Abdel-All, A.; Elshafie, A.; Elhawary, M.M., DC electric-field effect in bulk and thin-film Ge5As38Te57 chalcogenide glass, Vacuum 59 (2000) 845-853.				
	СВ	Adler, D.; Moss, S.C., Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189.				
	CC	Adler, D.; Henisch, H.K.; Mott, S.N., The mechanism of threshold switching in amorphous alloys, Rev. Mod. Phys. 50 (1978) 209-220.				
	CD	Afifi, M.A.; Labib, H.H.; El-Fazary, M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system Se75Ge25-xSbx, Appl. Phys. A 55 (1992) 167-169.				
	CE	Afifi,M.A.; Labib, H.H.; Fouad, S.S.; El-Shazly, A.A., Electrical & thermal conductivity of the amorphous semiconductor GexSe1-x, Egypt, J. Phys. 17 (1986) 335-342.				
	CF	Alekperova, Sh.M.; Gadzhieva, G.S., Current-Voltage characteristics of Ag2Se single crystal near the phase transition, Inorganic Materials 23 (1987) 137-139.				
	CG	Aleksiejunas, A.; Cesnys, A., Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169-K171.				
	СН	Angell, C.A., Mobile lons in amorphous solids, Annu. Rev. Phys. Chem. 43 (1992) 693-717.	Γ			
	CI	Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic glasses, Solid state Ionics 136-137 (2000) 1085-1089.				
	CJ	Asahara, Y.; Izumitani, T., Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst. Solids 11 (1972) 97-104.				
	СК	Asokan, S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in IV-VI chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810				
	CL	Baranovskii, S.D.; Cordes, H., On the conduction mechanism in lonic glasses, J. Chem. Phys. 111 (1999) 7546-7557.				
	СМ	Belin, R.; Taillades, G.; Pradel, A.; Ribes, M., Ion dynamics in superionic chalcogenide glasses: complete conductivity spectra, Solid state Ionics 136-137 (2000) 1025-1029.				
	CN	Belin, R.; Zerouale, A.; Pradel, A.; Ribes, M., Ion dynamics in the argyrodite compound Ag7GeSe5I: non-Arrhenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455.				
	СО	Benmore, C.J.; Salmon, P.S., Structure of fast ion conducting and semiconducting glassy chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267.				
	СР	Bernede, J.C., Influence du metal des electrodes sur les caracteristiques courant-tension des structures M-Ag2Se-M, Thin solid films 70 (1980) L1-L4.				
	CQ	Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155-160.				
	CR	Bernede, J.C., Switching and silver movements in Ag2Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104.				
	CS	Bernede, J.C.; Abachi, T., Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode, Thin solid films 131 (1985) L61-L64.				
	СТ	Bernede, J.C.; Conan, A.; Fousenan't, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag2Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171.				
	CU	Bernede, J.C.; Khelil, A.; Kettaf, M.; Conan, A., Transition from S- to N-type differential negative resistance in Al-Al2O3-Ag2-xSe1+x thin film structures, Phys. Stat. Sol. (a) 74 (1982) 217-224.				
	CV	Bondarev, V.N.; Pikhitsa, P.V., A dendrite model of current instability in RbAg415, Solid State lonics 70/71 (1994) 72-76.				
V	CW	Boolchand, P., Th maximum in glass transition temperature (Tg) near x=1/3 in GexSe1-x	Ι			

PTC/SB/088 (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Sheet

Substitute for form 1449B/PTO
INFORMATION DISCLOSURE STATEMENT BY APPLICANT

3

(use as many sheets as necessary)

of

8

Complete if Known					
Application Number 10/077,784					
Filing Date	F bruary 20, 2002				
First Named Inventor	Terry L. Gilton				
Group Art Unit	2818				
Examiner Name	Not Yet Assigned PHAN				
Attorney Docket Number M4065.0482/P482					

		Glasses, Asian Journal of Physics (2000) 9, 709-72.
TP	CX	Boolchand, P.; Bresser, W.J., Mobile silver ions and glass formation in solid electrolytes, Nature 410 (2001) 1070-1073.
	CY	Boolchand, P.; Georgiev, D.G.; Goodman, B., Discovery of the Intermediate Phase in Chalcogenide Glasses, J. Optoelectronics and Advanced Materials, 3 (2001), 703
1	CZ	Boolchand, P.; Selvanathan, D.; Wang, Y.; Georgiev, D.G.; Bresser, W.J., Onset of rigidity in steps in chalcogenide glasses, Properties and Applications of Amorphous Materials, M.F.
$\bot$	CA1	Thorpe and Tichy, L. (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp. 97-132.  Boolchand, P.; Enzweiler, R.N.; Tenhover, M., Structural ordering of evaporated amorphous
	CAI	chalcogenide alloy films: role of thermal annealing, Diffusion and Defect Data Vol. 53-54 (1987) 415-420.
	CB1	Boolchand, P.; Grothaus, J.; Bresser, W.J.; Suranyi, P., Structural origin of broken chemical order in a GeSe2 glass, Phys. Rev. B 25 (1982) 2975-2978.
	CC1	Boolchand, P.; Grothaus, J.; Phillips, J.C., Broken chemical order and phase separation in GexSe1-x glasses, Solid state comm. 45 (1983) 183-185.
	CD1	Boolchand, P., Bresser, W.J., Compositional trends in glass transition temperature (Tg), network connectivity and nanoscale chemical phase separation in chalcogenides, Dept. of ECECS, Univ. Cincinnati (October 28, 1999) 45221-0030.
	CE1	Boolchand, P.; Grothaus, J. Molecular Structure of Melt-Quenched GeSe2 and GeS2 glasses compared, Proc. Int. Conf. Phys. Semicond. (Eds. Chadi and Harrison) 17 <sup>th</sup> (1985) 833-36.
	CF1	Bresser, W.; Boolchand, P.; Suranyi, P., Rigidity percolation and molecular clustering in network glasses, Phys. Rev. Lett. 56 (1986) 2493-2496.
	CG1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; de Neufville, J.P, Intrinsically broken chalcogen chemical order in stoichiometric glasses, Journal de Physique 42 (1981) C4-193-C4-196.
	CH1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; Hernandez, J.G., Molecular phase separation and cluster size in GeSe2 glass, Hyperfine Interactions 27 (1986) 389-392.
	CI1	Cahen, D.; Gilet, JM.; Schmitz, C.; Chemyak, L.; Gartsman, K.; Jakubowicz, A., Room- Temperature, electric field induced creation of stable devices in CulnSe2 Crystals, Science 258 (1992) 271-274.
	CU1	Chatterjee, R.; Asokan, S.; Titus, S.S.K., Current-controlled negative-resistance behavior and memory switching in bulk As-Te-Se glasses, J. Phys. D: Appl. Phys. 27 (1994) 2624-2627.
	CK1	Chen, C.H.; Tai, K.L., Whisker growth induced by Ag photodoping in glassy GexSe1-x films, Appl. Phys. Lett. 37 (1980) 1075-1077.
	CL1	Chen, G.; Cheng, J., Role of nitrogen in the crystallization of silicon nitride-doped chalcogenide glasses, J. Am. Ceram. Soc. 82 (1999) 2934-2936.
	CM1	Chen, G.; Cheng, J.; Chen, W., Effect of Si3N4 on chemical durability of chalcogenide glass, J. Non-Cryst. Solids 220 (1997) 249-253.
	CN1	Cohen, M.H.; Neale, R.G.; Paskin, A., A model for an amorphous semiconductor memory device, J. Non-Cryst. Solids 8-10 (1972) 885-891.
	CO1	Croitoru, N.; Lazarescu, M.; Popescu, C.; Telnic, M.; and Vescan, L., Ohmic and non-ohmic conduction in some amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 781-786.
	CP1	Dalven, R.; Gill, R., Electrical properties of beta-Ag2Te and beta-Ag2Se from 4.2 to 300K, J. Appl. Phys. 38 (1967) 753-756.
	CQ1	Davis, E.A., Semiconductors without form, Search 1 (1970) 152-155.
	CR1	Dearnaley, G.; Stoneham, A.M.; Morgan, D.V., Electrical phenomena in amorphous oxide films, Rep. Prog. Phys. 33 (1970) 1129-1191.
	CS1	Dejus, R.J.; Susman, S.; Volin, K.J.; Montague, D.G.; Price, D.L., Structure of Vitreous Ag-Ge-Se, J. Non-Cryst. Solids 143 (1992) 162-180.
	CT1	den Boer, W., Threshold switching in hydrogenated amorphous silicon, Appl. Phys. Lett. 40 (1982) 812-813.
V	CU1	Drusedau, T.P.; Panckow, A.N.; Klabunde, F., The hydrogenated amorphous

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Sub	stitute for form 1449B/P	то		Complete if Known			
:[					Application Number	10/077,784		
1	IN	<b>IFORMATIC</b>	N DI	SCLOSURE	Filing Date	February 20, 2002		
1	S	<b>TATEMENT</b>	BY A	APPLICANT	First Named Inventor	T rry L. Gilton		
		•			Group Art Unit	2818		
		(use as many	sheets as	necessary)	Examiner Name	Not Yet Assigned	PHAN	
She	Sheet 4 of 8				Attorney Docket Number	M4065.0482/P482		

TP	_	silicon/nanodisperse metal (SIMAL) system-Films of unique electronic properties, J. Non-Cryst. Solids 198-200 (1996) 829-832.
	CV1	El Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag2-xSe1+x/n-Si diodes, Thin Solid Films 110 (1983) 107-113.
	CW1	El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous GexSe1-x photoconductivity, J. Non-Cryst. Solids 155 (1993) 171-179.
	CX1	El Ghrandi, R.; Calas, J.; Galibert, G.; Averous, M., Silver photodissolution in amorphous chalcogenide thin films, Thin Solid Films 218 (1992)259-273.
	CY1	El Ghrandi, R.; Calas, J.; Galibert, G., Ag dissolution kinetics in amorphous GeSe5.5 thin films from "in-situ" resistance measurements vs time, Phys. Stat. Sol. (a) 123 (1991) 451-460.
	CZ1	El-kady, Y.L., The threshold switching in semiconducting glass Ge21Se17Te62, Indian J. Phys. 70A (1996) 507-516.
	CA2	Elliott, S.R., A unified mechanism for metal photodissolution in amorphous chalcogenide materials, J. Non-Cryst. Solids 130 (1991) 85-97.
	CB2	Elliott, S.R., Photodissolution of metals in chalcogenide glasses: A unified mechanism, J. Non-Cryst. Solids 137-138 (1991) 1031-1034.
	CC2	Elsamanoudy, M.M.; Hegab, N.A.; Fadel, M., Conduction mechanism in the pre-switching state of thin films containing Te As Ge SI, Vacuum 46 (1995) 701-707.
	CD2	El-Zahed, H.; El-Korashy, A., Influence of composition on the electrical and optical properties of Ge20BixSe80-x films, Thin Solid Films 376 (2000) 236-240.
	CE2	Fadel, M., Switching phenomenon in evaporated Se-Ge-As thin films of amorphous chalcogenide glass, Vacuum 44 (1993) 851-855.
	CF2	Fadel, M.; El-Shair, H.T., Electrical, thermal and optical properties of Se75Ge7Sb18, Vacuum 43 (1992) 253-257.
	CG2	Feng, X.; Bresser, W.J.; Boolchand, P., Direct evidence for stiffness threshold in Chalcogenide glasses, Phys. Rev. Lett. 78 (1997) 4422-4425.
	CH2	Feng, X.; Bresser, W.J.; Zhang, M.; Goodman, B.; Boolchand, P., Role of network connectivity on the elastic, plastic and thermal behavior of covalent glasses, J. Non-Cryst. Solids 222 (1997) 137-143.
	CI2	Fischer-Colbrie, A.; Bienenstock, A.; Fuoss, P.H.; Marcus, M.A., Structure and bonding in photodiffused amorphous Ag-GeSe2 thin films, Phys. Rev. B 38 (1988) 12388-12403.
	CJ2	Fleury, G.; Hamou, A.; Viger, C.; Vautier, C., Conductivity and crystallization of amorphous selenium, Phys. Stat. Sol. (a) 64 (1981) 311-316.
	CK2	Fritzsche, H, Optical and electrical energy gaps in amorphous semiconductors, J. Non-Cryst. Solids 6 (1971) 49-71.
	CL2	Fritzsche, H., Electronic phenomena in amorphous semiconductors, Annual Review of Materials Science 2 (1972) 697-744.
	CM2	Gates, B.; Wu, Y.; Yin, Y.; Yang, P.; Xia, Y., Single-crystalline nanowires of Ag2Se can be synthesized by templating against nanowires of trigonal Se, J. Am. Chem. Soc. (2001) currently ASAP.
	CN2	Gosain, D.P.; Nakamura, M.; Shimizu, T.; Suzuki, M.; Okano, S., Nonvolatile memory based on reversible phase transition phenomena in telluride glasses, Jap. J. Appl. Phys. 28 (1989) 1013-1018.
	CO2	Guin, JP.; Rouxel, T.; Keryvin, V.; Sangleboeuf, JC.; Serre, I.; Lucas, J., Indentation creep of Ge-Se chalcogenide glasses below Tg: elastic recovery and non-Newtonian flow, J. Non-Cryst. Solids 298 (2002) 260-269.
	CP2	Guin, JP.; Rouxel, T.; Sangleboeuf, JC; Melscoet, I.; Lucas, J., Hardness, toughness, and scratchability of germanium-selenium chalcogenide glasses, J. Am. Ceram. Soc. 85 (2002) 1545-52.
V	CQ2	Gupta, Y.P., On electrical switching and memory effects in amorphous chalcogenides, J. Non-Cryst. Sol. 3 (1970) 148-154.

PTC/SB/08B (10-01)
Approved for use through 10/31/2002 OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 1449B/PT	70	<u> </u>	Complete If Known		
•				Application Number	10/077,784	
11	<b>NFORMATIO</b>	N DI	SCLOSURE	Filing Date	February 20, 2002	
l s	TATEMENT	BY A	APPLICANT	First Named Inventor	Terry L. Gilton	
				Group Art Unit	2818	
	(use as many s	heets as	necessary)	Examiner Name	Not Yet Assigned PHAN	
Sheet	5	of	8	Attorney Docket Number	M4065.0482/P482	

TP	CR2	amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 408-414.								
	CS2	Haifz, M.M.; Ibrahim, M.M.; Dongol, M.; Hammad, F.H., Effect of composition on the structure and electrical properties of As-Se-Cu glasses, J. Apply. Phys. 54 (1983) 1950-1954.								
	CT2	Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913.								
	CU2	Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a-Si:H/metal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061.								
	CV2	Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828.								
	CW2	Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369.								
	CX2	Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164.								
	CY2	Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462.								
	CZ2	Hirose, Y.; Hirose, H., Polarity-dependent memory switching and behavior of Ag dendrite in Ag-photodoped amorphous As2S3 films, J. Appl. Phys. 47 (1976) 2767-2772.								
	CA3	Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200.								
	CB3	Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214.								
	ССЗ	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191.								
	CD3	Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal- non-metal transition in Cr-hydrogenated amorphous SI-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50.								
	CE3	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43.								
	CF3	lizima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155.								
	CG3	Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066.								
	СНЗ	lyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142.								
	CI3	Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed blas, Thin Solid Films 40 (1977) L15-L18.								
	CJ3	Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.								
	СКЗ	Joullie, A.M.; Marucchi, J., Electrical properties of the amorphous alloy As2Se5, Mat. Res. Bull. 8 (1973) 433-442.								
	CL3	Kaplan, T.; Adler, D., Electrothermal switching in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 538-543.								
	CM3	Kawaguchi, T.; Maruno, S.; Elliott, S.R., Optical, electrical, and structural properties of amorphous Ag-Ge-S and Ag-Ge-Se films and comparison of photoInduced and thermally induced phenom na of both systems, J. Appl. Phys. 79 (1996) 9096-9104.								
V	CN3	Kawaguchi, T.; Masui, K., Analysis of change in optical transmission spectra resulting from Ag photodoping in chalcogenide film, Japn. J. Appl. Phys. 26 (1987) 15-21.								

PTC/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Sut	bstitute for form 1449B/PT	0			Complete if Known
_		_		Application Number	10/077,784
11	<b>VEORMATIO</b>	N DI	SCLOSURE	Filing Date	F bruary 20, 2002
S	TATEMENT	BY A	APPLICANT	First Named Inventor	Terry L. Gilton
				Group Art Unit	2818
l	(use as many s	heets as	necessary)	Examiner Name	Not Yet Assigned PHAN
Sheet	6	of	8	Attorney Docket Number	M4065.0482/P482

Sheet		0	01	<u> </u>	Attorney Docket No	umber  M4063.0462/F462			
TP	CO3				amura, Y.; Aniya, M., I e Ionics 123 (1999) 25	lonic conductivity of Agx(GeSe3)1-x 59-269.			
	CP3	GexSe100	-x, J. Nor	-Cryst. Solids	124 (1990) 186-193.				
	norphous chalcogenides, J. Non-Cryst.								
	CR3	137-138 (1	991) 102	7-1030.		cogenide films, J. Non-Cryst. Solids			
	CS3	Non-Cryst	Solids 19	94 (1996) 256-	259.	polarization and the type of contacts, J.			
	СТЗ	amorphous	s GeSeTI	chalcogenide	semiconductor films,	el-Aziz, M.M., Memory switching in Thin Solid Films 240 (1994) 143-146.			
	CU3	devices: n 16-19.	nemory a	nd switching n	nechanism, J. Instn Ele	Dumar, A., Amorphous semiconductor lectronics & Telecom. Engrs 27 (1981)			
	CV3	chalcogeni	ide glasse	es, Indian Jour	mal of pure & appl. phy	e memory and threshold switching lys. 29 (1991) 303-304.			
	CW3	with blocki (1975) K12	ng Al con 29-K132.	tacts influence	ed by Poole-Frenkel co	l polarisation of amorphous GeSe films onduction, Phys. Stat. Sol. (a) 29			
	CX3	Appl. Phys	. Lett. 46	(1985) 543-54	<b>1</b> 5.	d diffusion of Ag in GexSe1-x glass,			
	CY3	Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on Se-SnO2 system, Jap. J. Appl. Phys. 11 (1972) 1657-1662.							
	CZ3	Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on amorphous selenium thin films, Jpn. J. Appl. Phys. 11 (1972) 606.							
	CA4				I.L, Reversible and irre Physique IV 2 (1992) (	eversible electrical switching in TeO2- C2-185 - C2-188.			
	CB4				nhida, S.; Abachi, T.; L hem. And Phys. 28 (1	Latef, A., Electrical characterization of 1991) 253-258.			
	CC4	and constr	aint theo	ry, J. Non-Cry:	st. Solids 240 (1998) 1				
	CD4	metallizati	on cell de	vices, J. Non-	Cryst. Solids 299-302				
	CE4	glasses, P	hys. Rev	Lett. 83 (199	9) 3848-3851.	ole of Ag as an additive in chalcogenide			
	CF4	Miyatani, 3 (1973) 423	Sy., Elec	ctronic and ion	ic conduction in (AgxC	Cu1-x)2Se, J. Phys. Soc. Japan 34			
	CG4			ctrical propertic	es of Ag2Se, J. Phys.	Soc. Japan 13 (1958) 317.			
	CH4	Miyatani, 3 (1959) 996	Sy., loni 3-1002.	c conduction is	n beta-Ag2Te and beta	a-Ag2Se, Journal Phys. Soc. Japan 14			
CI4 Mott, N.F., Conduction in glasses containing transition metal lons, J. Non-Cryst. Solid (1968) 1-17.									
	CJ4	transitions	in chalco	genide thin fil	ms, Jpn. J. Appl. Phys				
	CK4	nonvolatile	memory		reversible phase tran	gawa, A.; Suzuki, M., Submicron nsition in chalcogenide glasses, Jpn. J.			
	CL4	Nang, T.T parameter	.; Okuda, s of Gex	M.; Matsushit Se1-x amorph	a, T.; Yokota, S.; Suzu ous thin films, Jap. J. /	uki, A., Electrical and optical App. Phys. 15 (1976) 849-853.			
4	CM4					ncerning the effect of topology on			

Under	the Paperwork Reduction Ac	t of 1995	i, no persons are required to	U. S. Patent and Tradem	PTO/SB/08B (10-01) roved for use through 10/31/2002.OMB 0651-0031 lank Office: U.S. DEPARTMENT OF COMMERCE nation unless it contains a valid OMB control number.
Su	bstitute for form 1449B/PT0				Compl te if Known
,				Application Number	10/077,784
11	<b>NFORMATIO</b>	N DI	SCLOSURE	Filing Date	February 20, 2002
1 5	STATEMENT	BY /	APPLICANT	First Named Inventor	Terry L. Gilton
				Group Art Unit	2818
	(use as many st	eels as	necessary)	Examiner Name	Not Yet Assigned PHAN
Sheet	7	of	8	Attorney Docket Number	M4065.0482/P482

			<u> </u>	0	Attorney Cocket Humber	<u> </u>	
	1	electrical s	witchin	g in chalcogenide n	etwork glasses, Phys. Re	ev. B 54 (1996) 4413-4415.	
TP	CN4				cation of amorphous mat 1-20 (1973) 195-209.	erials to computer memories,	
	CO4 Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.						
	CP4	Ovshinsky	, S.R.,			n disordered structures, Phys.	
	CQ4	Owen, A.E	.: LeCo	mber, P.G.; Sarrab	ayrouse, G.; Spear, W.E switching device, IEE Po	., New amorphous-silicon roc. 129 (1982) 51-54	
	CR4	Owen, A.E	.; Firth	, A.P.; Ewen, P.J.S.	Photo-induced structura ductors, Phil. Mag. B 52	al and physico-chemical changes	
	CS4	Owen, A.E	.; Le C	omber, P.G.; Hajto, ectronics 73 (1992)	J.; Rose, M.J.; Snell, A., 897-906.	J., Switching in amorphous	
	CT4	Pearson, A	A.D.; M . 14 (19	iller, C.E., Filamenta 169) 280-282.	ry conduction in semicor	nducting glass diodes, App.	
	CU4	Pinto, R.;	Raman Ide svs	athan, K.V., Electric tem Ge-As-Se, App	l. Phys. Lett. 19 (1971) 2	witching in thin films of the 21-223.	
	CV4	Popescu, of structure	C., The	effect of local non- chalcogenide glass	uniformities on thermal st es, Solid-state electronic	witching and high field behavior \$ 18 (1975) 671-681.	
	CW4	Popescu, phenomer	C.; Cro	itoru, N., The contrit Non-Cryst. Solids 8-	oution of the lateral them 10 (1972) 531-537.	nal Instability to the switching	
	CX4	lamorphou	s selen	ium, Phys. Stat. Sol	. (a) 44 (1977) K71-K73.	shold switching effects in	
	CY4	glasses, J	. Phys.	D: Appl. Phys. 29 (	1996) 2004-2008.	ory switching in Ge-As-Te	
	CZ4	Rahman, Eng. B12	S.; Siva (1992)	arama Sastry, G., El 219-222.	ectronic switching in Ge-	Bi-Se-Te glasses, Mat. Sci. and	
	CA5	Ramesh, I	K.; Aso	kan, S.; Sangunni, I doped with Cu and /	Ag, Appl. Phys. A 69 (199	trical Switching in germanium 99) 421-425.	
	CB5	silicon ana	alogue	memory devices, J.	Non-Cryst. Solids 115 (1	II,A.J.;Owen,A.E., Amorphous 1989) 168-170.	
	CC5	Rose,M.J. volatility in	;Snell,/ a -Si:l	A.J.;Lecomber,P.G.; I memory devices, I	Hajto,J.;Fitzgerald,A.G.;t Mat. Res. Soc. Symp. Pr	Owen,A.E., Aspects of non- oc. V 258, 1992, 1075-1080.	
П	CD5	Schuocke Non-Cryst	r, D.; R L Solids	ieder, G., On the re s 29 (1978) 397-407	iability of amorphous cha	alcogenide switching devices, J.	
	CE5	vacuum. F	Proc. In	dian Natn. Sci. Acad	i. 46. A. (1980) 362-368.	is of evaporated selenium films in .	
	CF5	and applie	ed phys	i, 35 (1997) 424-427	•	er selenide films, Ind. J. Of pure	
	CG5	memory e 1257-126	ffects in 2.	n metal/a-Si:H/meta	l memory devices, J. No.	.; Osborne, I.L., Analogue n-Cryst. Solids 137-138 (1991)	
	CH5	Analogue Proc. V 29	memo: 97. 199	ry effects in metal/a- 3, 1017-1021.	Si:H/metal thin film struc	Owen, A.E.; Gibson, R.A.G., ctures, Mat. Res. Soc. Symp.	
	CI5			Microfilaments in ar 175) L120-L122.	morphous chalcogenide	memory devices, J. Phys. D:	
	CJ5	Steventon Non-Crys	ı, A.G., L Solid	The switching mech s 21 (1976) 319-329		halcogenide memory devices, J.	
V	СК5	Stocker, I	1.J., Bu	lk and thin film switch	ching and memory effect	s in semiconducting chalcogenide	

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

of

8

Complete If Kn wn						
Application Number 10/077,784						
Filing Date	February 20, 2002					
First Named Inventor	Terry L. Gilton					
Group Art Unit	2818					
Examiner Name	Not Yet Assigned PHAN					
Attorney Docket Number	M4065.0482/P482					

TP	CL5	Tanaka, K., Ionic and mixed conductions in Ag photodoping process, Mod. Phys. Lett B 4 (1990) 1373-1377.	
	CM5	Tanaka, K.; lizima, S.; Sugi, M.; Okada, Y.; Kikuchi, M., Thermal effects on switching phenomenon in chalcogenide amorphous semiconductors, Solid State Comm. 8 (1970) 387-389.	
	CN5	Thornburg, D.D., Memory switching in a Type I amorphous chalcogenide, J. Elect. Mat. 2 (1973) 3-15.	
	CO5	Thomburg, D.D., Memory switching in amorphous arsenic triselenide, J. Non-Cryst. Solids 11 (1972) 113-120.	
	CP5	Thomburg, D.D.; White, R.M., Electric field enhanced phase separation and memory switching in amorphous arsenic triselenide, Journal(??) (1972) 4609-4612.	
	CQ5	Tichy, L.; Ticha, H., Remark on the glass-forming ability in GexSe1-x and AsxSe1-x systems, J. Non-Cryst. Solids 261 (2000) 277-281.	
	CR5	Titus, S.S.K.; Chatterjee, R.; Asokan, S., Electrical switching and short-range order in As-Te glasses, Phys. Rev. B 48 (1993) 14650-14652.	
	CS5	Tranchant,S.;Peytavin,S.;Ribes,M.;Flank,A.M.;Dexpert,H.;Lagarde,J.P., Silver chalcogenide glasses Ag-Ge-Se: lonic conduction and exafs structural investigation, Transport-structure relations in fast ion and mixed conductors Proceedings of the 6th Riso International symposium. 9-13 September 1985.	
	CT5	Tregouet, Y.; Bernede, J.C., Silver movements in Ag2Te thin films: switching and memory effects, Thin Solid Films 57 (1979) 49-54.	
	CU5	Uemura, O.; Kameda, Y.; Kokai, S.; Satow, T., Thermally Induced crystallization of amorphous Ge0.4Se0.6, J. Non-Cryst. Solids 117-118 (1990) 219-221.	
	CV5	Uttecht, R.; Stevenson, H.; Sie, C.H.; Griener, J.D.; Raghavan, K.S., Electric field induced filament formation in As-Te-Ge glass, J. Non-Cryst. Solids 2 (1970) 358-370.	
	CD5	Viger, C.; Lefrancois, G.; Fleury, G., Anomalous behaviour of amorphous selenium films, J. Non-Cryst. Solids 33 (1976) 267-272.	
	CX5	Vodenicharov, C.; Parvanov,S.; Petkov,P., Electrode-limited currents in the thin-film M-GeSe-M system, Mat. Chem. And Phys. 21 (1989) 447-454.	
	CY5	Wang, SJ.; Misium, G.R.; Camp, J.C.; Chen, KL.; Tigelaar, H.L., High-performance Metal/silicide antifuse, IEEE electron dev. Lett. 13 (1992)471-472.	
	CZ5	Weirauch, D.F., Threshold switching and thermal filaments in amorphous semiconductors, App. Phys. Lett. 16 (1970) 72-73.	
	CA6	West, W.C.; Sieradzki, K.; Kardynal, B.; Kozicki, M.N., Equivalent circuit modeling of the Ag As0.24S0.36Ag0.40 Ag System prepared by photodissolution of Ag, J. Electrochem. Soc. 145 (1998) 2971-2974	
	CB6	West, W.C., Electrically erasable non-volatile memory via electrochemical deposition of multifractal aggregates, Ph.D. Dissertation, ASU 1998	
$\downarrow$	CC6	Zhang, M.; Mancini, S.; Bresser, W.; Boolchand, P., Variation of glass transition temperature, Tg, with average coordination number, <m>, in network glasses: evidence of a threshold behavior in the slope  dTg/d<m>  at the rigidity percolation threshold (<m>=2.4), J. Non-Cryst. Solids 151 (1992) 149-154.</m></m></m>	
L	<u> </u>	I I	

Examiner	D/	Date	1.10-101
	I Irona Than		4/2//04
Signature	1 ,, 5,, 7	Considered	

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Substitute for form 1449A/PTO				Complete if Known		
		—			Application Number	10/077,784	
				SCLOSURE	Filing Date	February 20, 2002	
	STATEMENT BY APPLICANT				First Named Inventor	Gilton, et al.	
	(use as many sheets as necessary)				Art Unit	2818	
					Examiner Name	T. Phan	
She	et 1		of	4	Attorney Docket Number	M4065.0482/P482	

	U.S. PATENT DOCUMENTS								
Examiner Initials*	Cite No.1	Document Number  Number-Kind Code <sup>2</sup> (# known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear				
TP.	ĀĀ	2002/0072188	6/13/2002	Gilton	· · · · · · · · · · · · · · · · · · ·				
<del></del>	AB	2002/0106849	08/08/2002	Moore					
	AC	2002/0123169	09/05/2002	Moore et al.					
	AD	2002/0123170	09/05/2002	Moore et al.					
<del>                                     </del>	ΑĒ	2002/0123248	09/05/2002	Moore et al.					
	AF	2002/0127886	09/12/2002	Moore et al.					
	AG	2002/0132417	09/09/2002	Li					
	AH	2002/0160551	10//31/2002	Harshfield					
	Al	2002/0163828	11/07/2002	Krieger et al.					
	AJ	2002/0168820	11/2002	Kozicki					
	AK	2002/0168852	11/14/2002	Harshfield et al.					
	AL	2002/0190289	12/19/2002	Harshfield et al.					
	AM	2002/0190350	12/19/2002	Kozicki et al.					
	AN	2003/0001229	01/02/2003	Moore et al.					
	AO	2003/0027416	02/06/2003	Moore					
	AP	2003/0032254	02/13/2003	Gilton					
	AQ	2003/0035314	02/20/2003	Kozicki					
	AR	2003/0035315	02/20/2003	Kozicki					
	AS	2003/0038301	02/27/2003	Moore					
	AT	2003/0043631	03/06/2003	Gilton et al.					
	AU	2003/0045049	03/06/2003	Campbell et al.					
	AV	2003/0045054	03/06/2003	Campbell et al.					
	AW	2003/0047765	03/13/2003	Campbell					
	AX	2003/0047772	03/13/2003	Li					
	AY	2003/0047773	03/13/2003	Li					
	AZ	2003/0048519	03/13/2003	Kozicki					
	AA1	2003/0049912	03/13/2003	Campbell et al.					
	AB1	2003/0068861	04/10/2003	Li					
	AC1	2003/0068862	04/10/2003	Li					
	AD1	2003/0095426	05/22/2003	Hush et al.					
	AE1	2003/0096497	05/22/2003	Moore et al.					
	AF1	2003/0107105	06/12/2003	Kozicki					
	AG1	2003/0117831	06/26/2003	Hush					
	AH1	2003/0128612	07/10/2003	Moore et al.					
	Al1	2003/0137869	07/24/2003	Kozicki					
	AJ1	2003/0143782	07/31/2003	Gilton et al.					
	AK1	2003/0155606	08/21/2003	Campbell et al.					
	AL1	2003/0156447	08/21/2003	Kozicki					
	AM1	2003/0156463	08/21/2003	Casper et al.					
	AN1	3,622,319	11/1971	Sharp					
	AO1	3,743,847	7/1973	Boland					
	AP1	4,269,935	5/1981	Masters et al.					
	AQ1	4,312,938	1/1982	Drexler, et al.					
V	AR1	4,316,946	1/1982	Masters, et al.					

ATTENT!	<b>Re</b> iter (	the Paperwork Reduction Ac	t of 199	5, no persons are required to r	PTO/SB/08A (10-01) Approved for use through 10/31/2002.OMB 0651-0031 U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE respond to a collection of information unless it contains a valid OMB control number  Complete if Known		
					Application Number	10/077,784	
		NFORMATION			Filing Date	February 20, 2002	
	8	STATEMENT	BY A	APPLICANT	First Named Inventor	Gilton, et al.	
		(use as many sh	eets as	necessary)	Art Unit	2818	
					Examiner Name	T. Phan	
	Sheet	2	of	4	Attorney Docket Number	M4065.0482/P482	

O.I.C.C.			0.	<u> </u>	1	1014000.04	
TP	AS1	4,320,191		3/1982	Yoshikawa et al.		
		4,405,710		9/1983	Balasubramanyam et al.		
		4,419,421		12/1983	Wichelhaus, et al.		
$\vdash$		4,499,557		2/1985	Holmberg et al.		
		4,671,618		06/09/1987	Wu et al.		
		4,795,657		1/1989	Formigoni et al.		
		4,800,526		01/24/1989			
		4,847,674	-	7/1989	Sliwa et al.		
		5,177,567		1/1993	Klersy et al.	-	
		5,219,788		6/1993	Abernathey et al.		
		5,238,862		8/1993	Blalock et al.		
		5,272,359		12/21/1993	Nagasubramanian et al.		
		5,314,772		5/24/1994	Kozicki		
	AF2	5,315,131		5/1994	Kishimoto et al.		
	AG2	5,350,484		9/1994	Gardner et al.		
	AH2	5,360,981		11/1994	Owen et al.		
	_ AI2	5,512,328		3/19/1996	Kozicki et al.		
	AJ2	5,512,773		4/1996	Wolf et al.	-	
		5,726,083		3/1998	Takaishi		
	AL2	5,814,527		9/29/1998	Wolstenholme et al		
	AM2	5,818,749		10/06/1998	<del>•</del>		
		5,841,150		11/1998	Gonzalez et al.		
		5,846,889		12/1998	Harbison et al.		
		5,851,882		12/22/1998	Harshfield		
		5,869,843		2/9/1999	Harshfield		
		5,920,788		7/1999	Reinberg		
		5,998,066		12/1999	Block et al.		
Ц.	AT2	6,031,287		2/29/2000	Harshfield		
		6,072,716			Jacobson et al.		
$\vdash$	AV2	6,077,729		6/2000	Harshfield	<del></del>	
$\vdash$		6,177,338		1/2001	Liaw et al.		
$\vdash$		6,117,720		9/2000	Harshfield		· · · · · · · · · · · · · · · · · · ·
$\vdash$	AY2	6,143,604		11/2000	Chiang et al.		
<del></del>	AZ2	6,236,059		5/2001	Wolsteinholme et al.		
<del>    -   -   -   -   -   -   -   -   -  </del>		6,297,170		10/2001	Gabriel et al.	<del></del>	
<b>  </b>		6,300,684	<del></del>	10/2001	Gonzalez et al.		
<del></del>		6,316,784		11/2001	Zahorik et al.		
$\vdash \vdash$		6,329,606		12/2001	Freyman et al.		
<del></del>		6,350,679 6,376,284		2/2002 4/2002	McDaniel et al.		
$\vdash$	AC3	6,376,264 6,391,688		5/2002	Gonzalez et al. Gonzalez et al.		
<del>                                     </del>		6,414,376		7/2002	Thakur et al.		
H		6,420,725		7/16/2002	Harshfield		
<del>                                     </del>		6,423,628		7/2002	Li et al.		***************************************
<del>                                     </del>		6,440,837		8/27/2002	Harshfield		<u> </u>
<del>                                     </del>		6,469,364		10/2002	Kozicki		<del></del>
<u> </u>		6,473,332			Ignatiev et al.		
<b>├</b>		6,487,106		11/26/2002			
		-1:1:			1		

PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

· ·	ander ti	he Paperwork Reduction	Act of 199	5, no persons are required to	Appr U. S. Patent and Tradem respond to a collection of inform	roved for use through 10/31/2002.OMB 0651-0031 hark Office: U.S. DEPARTMENT OF COMMERCE nation unless it contains a valid OMB control number.	
JEN	Sub	stitute for form 1449A/F	то		Complete if Known		
					Application Number	10/077,784	
				ISCLOSURE	Filing Date	February 20, 2002	
	S	TATEMEN	ГВҮ	APPLICANT	First Named Inventor	Gilton, et al.	
		(use as many	sheets a	s necessary)	Art Unit	2818	
		,			Examiner Name	T. Phan	
	Sheet	3	of	4	Attorney Docket Number	M4065.0482/P482	

FOREIGN PATENT DOCUMENTS							
Examiner Initials*	Cite No.1	Foreign Patent Document  Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>6</sup> (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	۲	
TP	BA	56126916	10/19981	Akira et al.			

			_
Examiner		Date / /am /	
CXAIIIIICI	Tena Phone	10000 1 (1/27/24	
C:	rong man	Considered 4/2//UG	
Signature	, · · · a	Considered 7/2/04	- 1
			_

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

<sup>&</sup>lt;sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> See attached Kinds Codes of USPTO Patent Documents at <a href="www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). \*For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. \*Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 18 if possible. \*Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 1449A	/PTO		Complete if Known		
				Application Number	10/077,784	
			SCLOSURE	Filing Date	February 20, 2002	
	STATEMEN	II BY A	APPLICANT	First Named Inventor	Gilton, et al.	
	(use as mai	ny sheets as	necessary)	Art Unit	2818	
	(and as many should as necessary)			Examiner Name	T. Phan	
Sheet	4	of	4	Attorney Docket Number	M4065.0482/P482	

		OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
TP	CA	Axon Technologies Corporation, Technology Description: <i>Programmable Metalization Cell(PMC)</i> , pp. 1-6 (Pre-May 2000).	
	СВ	Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 Submicron Lithography, pp. 24-29 (1982).	
	CC	Hilt, DISSERTATION: Materials characterization of Silver Chalcogenide Programmable Metalization	
	CD	Hirose et al., High Speed Memory Behavior and Reliability of an Amorphous As₂S₃ Film Doped Ag, Phys. Stat. Sol. (a) 61, pp. 87-90 (1980).	
	CE	Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979).	
	CF	Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983).	
	CG	Kawaguchi et al., Mechanism of photosurface deposition, 164-166 J. Non-CRYST. SOLIDS, pp. 1231-1234 (1993).	
	СН	Kolobov et al., Photodoping of amorphous chalcogenides by metals, Advances in Physics, 1991, Vol. 40, No. 5, pgs. 625-684.	
	CI	Kozicki et al., Silver incorporation in thin films of selenium rich Ge-Se glasses, International Congress on Glass, Volume 2, Extended Abstracts, July 2001, pgs. 8-9.	
	CJ	Michael N. Kozicki, 1. Programmable Metallization Cell Technology Description, February 18, 2000	
	СК	Michael N. Kozicki, Axon Technologies Corp. and Arizona State University, Presentation to Micron Technology, Inc., April 6, 2000	
	CL	Kozicki et al., Applications of Programmable Resistance Changes In Metal-Doped Chalcogenides, Electrochemical Society Proceedings, Volume 99-13, 1999, pgs. 298-309.	
	СМ	Kozicki et al., Nanoscale effects in devices based on chalcogenide solid solutions, Superlattices and Microstructures, Vol. 27, No. 516, 2000, pgs. 485-488.	
	CN	Kozicki et al., Nanoscale phase separation in Ag-Ge-Se glasses, Microelectronic Engineering 63 (2002) pgs 155-159.	
	có	McHardy et al., The dissolution of metals in amorphous chalcogenides and the effects o electron and ultraviolet radiation, 20 J. Phys. C.: Solid State Phys., pp. 4055-4075 (1987)f	
	CP	Owens et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub- Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).	
V	ca	Shimizu et al., The Photo-Erasable Memory Switching Effect of Ag Photo-Doped Chalcogenide Glasses, 46 B. CHEM SOC. JAPAN, No. 12, pp. 3662-3365 (1973).	

Examiner Trong Phan Signature	Date Considered	4/27/04
-------------------------------	--------------------	---------

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached.

M THE P	Winder to	he Paperwork Reduction A	d of 1995	i, no persons are required to n	II & Patent and Tradem	PTO/SB/08A (10-01) oved for use through 10/31/2002.OMB 0651-0031 ark Office: U.S. DEPARTMENT OF COMMERCE lation unless it contains a valid OMB control number.	
PATENT	Substitute for form 1449A/PTO  INFORMATION DISCLOSURE STATEMENT BY APPLICANT  (use as many sheets as necessary)			<del>-</del> •·· ·	Compl te If Kn wn		
					Application Number	10/077,784	
				SCLOSURE	Filing Date	February 20, 2002	
					First Named Inventor	Terry L. Gilton	
				2.07	Art Unit	2818	
				necessary)	Examiner Name	Not Yet Assigned PHAN	
,	Sheet	1	of	1	Attorney Docket Number	M4065.0482/P482	

U.S. PATENT DOCUMENTS						
Examiner Initials*	24.	Document Number	Publication Date MIM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines, Where Relevant	
	Cite No. <sup>1</sup>	Number-Kind Code <sup>2</sup> (Fknown)		of Cited Document	Passages or Relevant Figures Appear	
772	AA	6,469,364-B1	10-22-2002	Kozicki		
TP	AB	2002/0168820-A1	11-14-2002	Kozicki et al.	<u> </u>	

FOREIGN PATENT DOCUMENTS						
Examiner	Cite	Foreign Patent Document	Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant	
Initiats* N	No.'	Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>4</sup> (# known)	1001100-1111	Applicant of Greek December 1	Figures Appear	'

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup> See attached Kinds Codes of USPTO Patent Documents at <a href="https://www.usnto.ngv">www.usnto.ngv</a> or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. <sup>6</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	<b>T²</b>

Examiner	01	Date / /o.a./a.	
Evaluates	Irona than	Considered 4/27/04	
Signature	7,076	Considered //	

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>&</sup>lt;sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.